

# SIPROL

SIDERURGICA PRODOTTI OLEODINAMICI



SIPROL s.r.l.

Via Nazionale, 46 - loc. Vancimuglio - 36040 Grumolo delle Abbadesse (VI)

P.IVA/C.F. 03242200248 - Tel. 0444 387303 - Fax 0444 266834

[www.siprol.it](http://www.siprol.it) - [info@siprol.it](mailto:info@siprol.it)



## THE COMPANY

Siprol srl located in Vicenza near to highway A4 supplies, from its own 11.000 sqm headquarters of which are covered 4.000 sqm, chromed bars and cylinder tubes.

Our strenghts are speed, competence and value for money.

Successfully cooperating for years with the best producers in the market, Siprol srl is a sure point of reference for all its customers.



## L'AZIENDA

Siprol srl situata a Vicenza in prossimità dell'autostrada A4 fornisce, dalla propria sede di 11.000 mq di cui 4.000 mq coperti, barre cromate e tubi per cilindri.

I nostri punti di forza sono rapidità, competenza e rapporto qualità/prezzo.

Collaborando con successo da anni con i migliori produttori del mercato, Siprol srl è un sicuro punto di riferimento per tutta la propria clientela.



### BARRE CROMATE

#### CHROMED BARS

**Materials:** C45  
C45 +IH  
20MnV6  
42CrMo4 +QT  
42CrMo4 +QT +IH

**Range:** 5 up to 500 mm  
(IH up to 200 mm)

**Toll:** ISO f7

**Chrome:** 25 or 50 my  
Ra max 0,15 my  
HV 900/1100

**Length:** 3000 - 12000 mm

### BARRE CROMATE INOX

#### STAINLESS STEEL CHROMED BARS

**Materials:** AISI 304  
AISI 316  
AISI 431  
AISI 329  
W.1.4418

**Range:** 5 up to 500 mm

**Toll:** ISO f7

**Chrome:** 25 or 50 my  
Ra max 0,15 my  
HV 900/1100

**Length:** 3000 - 12000 mm

### TUBI CROMATI

#### CHROMED TUBES

**Materials:** E355 + SR

**Range:** 18 x 3 up to  
140 x 10 mm  
(bigger on request)

**Toll D.E.:** ISO f7

**Chrome:** 25 my  
Ra max 0,15 my  
HV 900/1100



### MAGAZZINO

Il materiale sempre a magazzino ed un consolidato rapporto con i migliori produttori del settore consentono a Siprol di soddisfare in tempi brevi le richieste di piccoli e grandi lotti.

### STOCK

The material always in stock and a consolidated relationship with the best producers in the sector allow Siprol to quickly meet the demands of small and large lots.

### BARRE CROMATE Tol. h7

#### CHROMED BARS Tol. h7

**Materials:** C45  
CF 53 +IH

**Range:** 5 up to 100 mm

**Toll:** ISO h7

**Chrome:** 25 ±5 my

**Length:** 3000 - 6000 mm

### BARRE TEMPRATE Tol. h6

#### INDUCTION HARDENED Tol. h6

**Materials:** CF 53 + IH  
X90CrMoV18+IH  
X46Cr13 + IH

**Range:** 5 up to 100 mm

**Toll:** ISO h6

**Chrome:** 60 - 64 HRC

**Length:** 3000 - 6000 mm

### TUBI CROMATI LEVIGATI

#### INTERNAMENTE CHROMED TUBES INSIDE HONED

**Materials:** E355 + SR/ +C

**Range:** d.e. 50 up to  
d.e. 300 mm

**Toll D.E.:** according order

**Toll D.I.:** ISO H8/H9

### TUBI LUCIDI SALDATI

#### PRONTI ALL'USO READY-TO-USE S.S.I.D. CYLINDER TUBES

**Materials:** E355 + C

**Range:** 30 x 2,5 up to  
125 x 7,5 mm

**Toll D.I.:** ISO H9 / H11

**Roughness:** Ra max 0,80 my  
(medium 0,50)

### TUBI RULLATI SENZA

#### SALDATURA SEAMLESS HONED CYLINDER TUBES

**Materials:** E355 + SR

**Range:** 35 x 5 up to  
300 x 25 mm

**Toll D.I.:** ISO H8

**Roughness:** Ra max 0,30 my

### TUBI SALDATI RULLATI

#### WELDED HONED CYLINDER TUBES

**Materials:** E355 + SR / + C

**Range:** 35 x 5 up to  
200 x 10 mm

**Toll D.I.:** ISO H8

**Roughness:** Ra max 0,30 my



### TUBI LAMINATI LEVIGATI

HOT ROLLED TUBES  
INSIDE HONED

**Materials:** E355 + AR  
S355J2H

**Range:** up to d.i. 500 mm

**Toll D.I.:** ISO H8

**Roughness:** Ra max 0,40 my

### TUBI TRAFILATI ATTI A LEVIGATURA TUBES READY FOR HONING

**Materials:** E355 + SR

**Range:** up to d.e. 300 mm

### MISURA FISSA

FIXED SIZE

Taglio a misura fissa con imballo sempre adeguato e protettivo in fascio, bancale o cassa in legno.

Fixed size cutting with always suitable and protective packaging in bundle, pallet or wooden box.



### TUBI INOX LUCIDI / LEVIGATI POLISHED / HONED STAINLESS STEEL CYLINDER TUBES

**Materials:** AISI 304  
AISI 316

**Range:** up to d.i. 200 mm

**Toll D.I.:** ISO H9 / H11

**Roughness:** Ra 0,80 / 0,40 my

### TUBI PER CIRCUITI OLEODINAMICI TUBES FOR HYDRAULIC SYSTEMS

**Materials:** E235 + N  
(also galvanized)

**Range:** 4 x 1 up to  
80 x 10 mm

### MATERIALE A DISEGNO

MATERIAL ACCORDING  
TO THE DRAWING

A richiesta, materiale lavorato su disegno del cliente.

On request, material machined according to the customer's drawing.

### TUBI INOX PER CIRCUITI OLEODINAMICI STAINLESS TUBES FOR HYDRAULIC SYSTEMS

**Materials:** AISI 304  
AISI 316

**Range:** 4 x 1 up to  
42 x 3 mm

